



Fermilab at work

Scheduling Meeting of September 10, 2013

Number and rate of TRC and DART cases by FY - Includes Employees & Subcontractors

| | FY09 | Rate | FY10 | Rate | FY11 | Rate | FY12 | Rate | FY13 | Rate | Goal | Rate |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| TRC | 26 | 1.22 | 19 | 1.04 | 20 | 1.03 | 37 | 1.87 | 21 | 0.83 | <12 | 0.65 |
| Cases | | | | | | | | | | | | |
| DART | 12 | 0.64 | 6 | 0.34 | 6 | 0.26 | 17 | 0.83 | 5 | 0.11 | <5 | 0.25 |
| Cases | | | | | | | | | | | | |

Injuries:

| | | | | | | Medical | | ESH | |
|----------|----------|------------|--------------|-------------|----|---------|-----|-----|-----|
| Division | Category | Case Date | Date Entered | Recordable? | Rx | ODD | LDD | ODD | LDD |
| APC | FNAL | 09/04/2013 | 09/04/2013 | N | | 0 | 0 | 0 | 0 |

Medical Comments: While walking down the stairs holding the hand rail his hand was struck by an insect. Several minutes later he noticed a white spot with some swelling.

ESH Comments: The employee was walking down the interior stairs from his office area on the second floor of the Cross Gallery Southeast Annex when the incident occurred. An insect of some kind, perhaps a wasp, flew by and struck the individual's left hand and stung his index finger before flying away. The employee reported to the Medical Office where he was given first aid treatment and returned to work with no limitations.

Claim Pending:

| | | | | | | Medical | | ESH | |
|----------|----------|------------|--------------|-------------|----|---------|-----|-----|-----|
| Division | Category | Case Date | Date Entered | Recordable? | Rx | ODD | LDD | ODD | LDD |
| AD | FNAL | 09/03/2013 | 09/06/2013 | СР | | 0 | 0 | 0 | 0 |

Medical Comments: Itching of trunk and extremities. Some red spots pin point appearing on legs and ankles, some spots around abdomen. Wears loose T-shirt. Worked at Tank Farm on berm trimming weeds. Some weeds over waist high.

ESH Comments:

Vehicle Accidents:

None

ORPS/Incidents/Notices of Violations:

None

| Requir | Required ESH Training and ITNA Status for Employees | | | | | | | | | | | |
|----------|---|---------------------|----------------------|-----------|------------------|-----------------------|------------------|------------------------|--|--|--|--|
| Org | Completed Courses | Required Courses | Percent Completed | Employees | Current ITNAs | ITNAs < 1 Year Old | Missing ITNAs | ITNAs > 3 Years Old | | | | |
| AD | 8934 | 9069 | 98.5% | 443 | 433 | 97.7% | 0 | 0 | | | | |
| APC | 572 | 577 | 99.1% | 49 | 49 | 100.0% | 0 | 0 | | | | |
| BS | 2369 | 2379 | 99.6% | 149 | 149 | 100.0% | 0 | 0 | | | | |
| CCD | 1370 | 1372 | 99.9% | 99 | 99 | 100.0% | 0 | 0 | | | | |
| CD | 389 | 390 | 99.7% | 36 | 35 | 97.2% | 0 | 0 | | | | |
| CMS | 156 | 160 | 97.5% | 17 | 17 | 100.0% | 0 | 0 | | | | |
| DI | 598 | 602 | 99.3% | 57 | 50 | 87.7% | 2 | 0 | | | | |
| ES | 965 | 974 | 99.1% | 43 | 43 | 100.0% | 0 | 0 | | | | |
| FCPA | 97 | 98 | 99.0% | 8 | 8 | 100.0% | 0 | 0 | | | | |
| FE | 2579 | 2595 | 99.4% | 113 | 111 | 98.2% | 0 | 0 | | | | |
| FI | 398 | 399 | 99.7% | 33 | 28 | 84.8% | 0 | 0 | | | | |
| LBNE | 85 | 86 | 98.8% | 6 | 6 | 100.0% | 0 | 0 | | | | |
| PD | 6342 | 6441 | 98.5% | 431 | 421 | 97.7% | 2 | 0 | | | | |
| SCD | 1770 | 1787 | 99.0% | 161 | 154 | 95.7% | 0 | 0 | | | | |
| TD | 4137 | 4170 | 99.2% | 220 | 218 | 99.1% | 0 | 0 | | | | |
| WR | 1235 | 1236 | 99.9% | 108 | 105 | 97.2% | 3 | 0 | | | | |
| Fermilab | 31996 | 32335 | 99.0% | 1973 | 1926 | 97.6% | 7 | 0 | | | | |
| | > 95% 90-95% < 90% Missing ITNAs and ITNAs > 3 Years Old = Red Missing ITNAs for New Employees = Yellow | | | | | | | | | | | |

| TRC & DART Details for Current Fiscal Year | | | | | | | | | | | | |
|--|--------------|-------------|-----------------------|---------------|---------------|--------------|------------------------|---------------|--|--|--|--|
| Organization | TRC Cases | TRC Rate | TRC 3-Year Average | TRC KPI | DART Cases | DART Rate | DART 3-Year Average | DART KPI | | | | |
| AD | 9 | 2.48 | 2.33 | 1 | 1 | 0.28 | 0.86 | 1 | | | | |
| APC | 0 | 0.00 | 0.76 | 1 | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| BS | 3 | 2.68 | 1.10 | 1 | 0 | 0.00 | 0.27 | 1 | | | | |
| CCD | 1 | 0.50 | 0.16 | 1 | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| CD | 0 | 0.00 | 0.12 | 1 | 0 | 0.00 | 0.12 | 1 | | | | |
| CMS | 0 | 0.00 | 0.00 | \Rightarrow | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| DI | 0 | 0.00 | 2.38 | 1 | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| ES | 0 | 0.00 | 0.89 | 1 | 0 | 0.00 | 0.89 | 1 | | | | |
| FCPA | 0 | 0.00 | 0.00 | \Rightarrow | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| FE | 1 | 1.08 | 3.77 | 1 | 1 | 1.08 | 1.59 | 1 | | | | |
| FI | 0 | 0.00 | 0.00 | \Rightarrow | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| LBNE | 0 | 0.00 | 0.00 | \Rightarrow | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| PD | 2 | 0.63 | 0.62 | 1 | 1 | 0.31 | 0.19 | 1 | | | | |
| SCD | 0 | 0.00 | 0.25 | 1 | 0 | 0.00 | 0.25 | 1 | | | | |
| TD | 3 | 1.63 | 1.14 | 1 | 0 | 0.00 | 0.49 | 1 | | | | |
| WR | 0 | 0.00 | 1.71 | 1 | 0 | 0.00 | 0.00 | \Rightarrow | | | | |
| Fermilab | 19 | 1.14 | 1.32 | 1 | 3 | 0.18 | 0.46 | 1 | | | | |

